SEG'SHOW 20 - 20X10

SEG'SHOW MODULAR EXHIBITS

PRODUCT CODE: SEGSHOW20-20x10G













PRODUCT DESCRIPTION

Seg'Show Modular Display 20 is a three-dimensional 20' \times 10' pre-designed exhibit booth. Stylish and lively, it incorporates a 20' wide backwall with two 10' return sidewalls. This booth is made up of tool-free perforated modular aluminum frames and assembled with toolless pin connectors.

DISPLAY DIMENSIONS	234"W x 95.25"H x 95.25"D		
	PANEL	SIZE	QTY
GRAPHIC SIZES	S	118.375"W x 96.25"H	6
		TOTAL PRINTS	6

GRAPHIC MATERIAL

Stretch Fabric w/ Integrated Block Out

GRAPHIC FINISHING

Silicone beading is sewn around the perimeter of the fabric graphic. Silicone beading is hidden from view once installed.

DISPLAY CONSTRUCTION

Aluminum frame and components

SHIPPING WEIGHTS & DIMENSIONS (FREIGHT ONLY)


Shipping Weight 919lbs (frame & graphics w/ crate)
Shipping Dimensions 104"L x 54"W x 44"H (crate)


GRAPHIC TURN AROUND TIME

5 business days after proof approval

AVAILABILITY | CA only

REF	QTY	PART NO.	DESCRIPTION	
1	15	MOD-FRM-992x2418	Straight Frame, Corner Screw Connect 992mm x 2418mm	
В	62	MOD-PC	Pin Connector	
С	4	MOD-90D-CON	90°Connector	
D	4	MOD-SM90D-CON	90°Connector	
Е	22	MOD-CLA-CON	Clamp Connector	
AJ	20	MOD-180D-CON	180 Degree Connector	
Н	2	MOD-T-90DCON	T Shape 3 Way 90 Degree Connector Used per Set of 2pcs	
AC	5	MOD-CP-992x2418	Cover Profile for Frame 992x2418. Flat Model. Anodized	
AF	15	MOD-CC	Clip Connector Cover Connects Cover Profile	
AL	60	MOD-FP	Seg'Show Frame Protector	
















PARTS REFERENCE




MOD-FRM-992X2418




MOD-90D-CON




MOD-180D-CON




MOD-SM90D-CON




MOD-CC




MOD-CP-992X2418



MOD-PC



MOD-CLA-CON




MOD-T-90DCON








INSTRUCTIONS











INSTRUCTIONS





REF	QTY	PART NO.	DESCRIPTION
AC	5	MOD-CP-992x2418	Cover Profile for Frame 992x2418. Flat Model. Anodized
AF	15	MOD-CC	Clip Connector Cover Connects Cover Profile
AL	60	MOD-FP	Frame Protector










INSTRUCTIONS



Place graphic over the front of the frame.



Begin inserting SEG beading at each corner.



Insert the silicone beading with the labric folded over. The silicone beading should not be exposed.



Using your fingers, push both fabric and silicone beading completely into the extrusions channel.



Continue to push in the remaining silicone beading on each side.



Check the perimeter of the frame for any excess beading that hasn't been pushed in. Graphic should be taut.